ELSEVIER

Volume 566, Numbers 1–2, 15 September 1998

Journal of Organometallic Chemistry

Contents

Characterization of the μ-(η^1-C: η^2-S,S') dithiocarboxylate complexes $Cp(CO)_2Fe-CS_2-Zr(X)Cp_2$ (X = Cl, $OCMe_3$); CS_2 insertion into the FeZr bond of the heterobimetallic complex $Cp(CO)_2Fe-Zr(OCMe_3)Cp_2$
J.R. Pinkes, S.M. Tetrick, B.E. Landrum and A.R. Cutler 1

Synthesis of bis(methylcyclopentadienyl)(piperidino)lanthanoids and their catalytic behavior for polymerization of methyl methacrylate
L. Mao, Q. Shen and J. Sun. 9

Synthesis and X-ray structure of a novel 12-nuclear cluster $Pd_{12}(CO)_{12}(PBu_3^t)_6$
E.G. Mednikov, Y.T. Struchkov and Y.L. Slovokhotov 15

Chiral lanthanocene complexes with an ether-functionalized indene ligand: synthesis and structure of bis{1-(2-methoxyethyl)indenyl}lanthanocene chlorides
C. Qian, G. Zou and J. Sun 21

Study of the planarization of the tricordinate phosphorus in phospholes; photoelectron spectra and structure of partially planarized phospholes
L. Nyulászi, L. Soós and G. Keglevich. 29

New palladium (substituted 1,10-phenanthroline) bis(methoxycarbonyl) complexes [Pd(L–L)(CO_2CH_3)$_2$]: preparation and structural features
R. Santi, A.M. Romano, R. Garrone and R. Millini. 37

Matrix isolation infrared and density functional theoretical studies of organic silanones, $(CH_3O)_2Si{=}O$ and $(C_6H_5)_2Si{=}O$
V.N. Khabashesku, Z.A. Kerzina, K.N. Kudin and O.M. Nefedov 45

Palladium(II) allyl complexes with nitrogen–sulfur bidentate ligands. Substituent effects in the mechanism of allyl amination
L. Canovese, F. Visentin, P. Uguagliati, G. Chessa and A. Pesce 61

Paramagnetic intermediates in the photolysis of 7-silanorbornadiene studied by means of spin chemistry method
M.B. Taraban, O.S. Volkova, A.I. Kruppa, V.F. Plyusnin, V.P. Grivin, Y.V. Ivanov, T.V. Leshina, M.P. Egorov and O.M. Nefedov. 73

Diels–Alder reactions of C-phenylated siloles with 1,4-epoxy-1,4-dihydronaphthalene
S.I. Kirin, D. Vikić-Topić, E. Mestrović, B. Kaitner and M. Eckert-Maksić 85

Synthesis of complexes of platinum (II) with *C,N,N'*-terdentate Schiff base donor ligands. Crystal and molecular structure of [Pt{3-Me-4-$MeOC_6H_2C(H){=}NCH_2CH_2NMe_2$}(Me)]
J.M. Vila, M.T. Pereira, J.M. Ortigueira, D. Lata, M. López Torres, J.J. Fernández, A. Fernández and H. Adams 93

Synthesis, structures and in vitro antitumor activity of some germanium-substituted di-*n*-butyltin dipropionates
S. Xueqing, Y. Zhiqiang, X. Qinglan and L. Jinshan 103

Polymerization of ethylene catalyzed by half-metallocene complexes of niobium, tantalum, and zirconium bearing *o*-xylylene or anthracene as an auxiliary ligand: molecular structure of $[Mg_2Cl_3(THF)_6][ZrCl_2(\eta^5\text{-}C_5Me_5)$ (η-1–4-anthracene)]
K. Mashima, Y. Nakayama, N. Ikushima, M. Kaidzu and A. Nakamura 111

New chiral zwitterionic iron hydride complexes with 'ephosium' and 'valphosium' ligands
J.-J. Brunet, R. Chauvin, J. Chiffre, S. Huguet and P. Leglaye. 117

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVII. Gelingt die Aufklärung der Elektronenstrukturen von η^3-Allylverbindungen der Lanthaniden anhand der Kristallfeld-Parameter von Heteroallylkomplexen?
H.-D. Amberger, H. Reddmann, B. Unrecht, F.T. Edelmann and N.M. Edelstein. 125

Synthesis, characterization and decomposition patterns for thienylene bridged dinuclear biscarbene complexes of manganese and chromium in refluxing carbon disulphide and acetone
Y.M. Terblans, H. Marita Roos and S. Lotz 133

ELSEVIER

Volume 566, Numbers 1–2, 15 September 1998

Journal of Organometallic Chemistry

Contents

Characterization of the μ-(η^1-C: η^2-S,S') dithiocarboxylate complexes $Cp(CO)_2Fe-CS_2-Zr(X)Cp_2$ (X = Cl, $OCMe_3$); CS_2 insertion into the FeZr bond of the heterobimetallic complex $Cp(CO)_2Fe-Zr(OCMe_3)Cp_2$
J.R. Pinkes, S.M. Tetrick, B.E. Landrum and A.R. Cutler 1

Synthesis of bis(methylcyclopentadienyl)(piperidino)lanthanoids and their catalytic behavior for polymerization of methyl methacrylate
L. Mao, Q. Shen and J. Sun. 9

Synthesis and X-ray structure of a novel 12-nuclear cluster $Pd_{12}(CO)_{12}(PBu_3^t)_6$
E.G. Mednikov, Y.T. Struchkov and Y.L. Slovokhotov 15

Chiral lanthanocene complexes with an ether-functionalized indene ligand: synthesis and structure of bis{1-(2-methoxyethyl)indenyl}lanthanocene chlorides
C. Qian, G. Zou and J. Sun 21

Study of the planarization of the tricordinate phosphorus in phospholes; photoelectron spectra and structure of partially planarized phospholes
L. Nyulászi, L. Soós and G. Keglevich. 29

New palladium (substituted 1,10-phenanthroline) bis(methoxycarbonyl) complexes [Pd(L–L)(CO_2CH_3)$_2$]: preparation and structural features
R. Santi, A.M. Romano, R. Garrone and R. Millini. 37

Matrix isolation infrared and density functional theoretical studies of organic silanones, $(CH_3O)_2Si{=}O$ and $(C_6H_5)_2Si{=}O$
V.N. Khabashesku, Z.A. Kerzina, K.N. Kudin and O.M. Nefedov 45

Palladium(II) allyl complexes with nitrogen–sulfur bidentate ligands. Substituent effects in the mechanism of allyl amination
L. Canovese, F. Visentin, P. Uguagliati, G. Chessa and A. Pesce 61

Paramagnetic intermediates in the photolysis of 7-silanorbornadiene studied by means of spin chemistry method
M.B. Taraban, O.S. Volkova, A.I. Kruppa, V.F. Plyusnin, V.P. Grivin, Y.V. Ivanov, T.V. Leshina, M.P. Egorov and O.M. Nefedov. 73

Diels–Alder reactions of C-phenylated siloles with 1,4-epoxy-1,4-dihydronaphthalene
S.I. Kirin, D. Vikić-Topić, E. Mestrović, B. Kaitner and M. Eckert-Maksić 85

Synthesis of complexes of platinum (II) with *C,N,N'*-terdentate Schiff base donor ligands. Crystal and molecular structure of [Pt{3-Me-4-$MeOC_6H_2C(H){=}NCH_2CH_2NMe_2$}(Me)]
J.M. Vila, M.T. Pereira, J.M. Ortigueira, D. Lata, M. López Torres, J.J. Fernández, A. Fernández and H. Adams 93

Synthesis, structures and in vitro antitumor activity of some germanium-substituted di-*n*-butyltin dipropionates
S. Xueqing, Y. Zhiqiang, X. Qinglan and L. Jinshan 103

Polymerization of ethylene catalyzed by half-metallocene complexes of niobium, tantalum, and zirconium bearing *o*-xylylene or anthracene as an auxiliary ligand: molecular structure of $[Mg_2Cl_3(THF)_6][ZrCl_2(\eta^5\text{-}C_5Me_5)$ (η-1–4-anthracene)]
K. Mashima, Y. Nakayama, N. Ikushima, M. Kaidzu and A. Nakamura 111

New chiral zwitterionic iron hydride complexes with 'ephosium' and 'valphosium' ligands
J.-J. Brunet, R. Chauvin, J. Chiffre, S. Huguet and P. Leglaye. 117

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVII. Gelingt die Aufklärung der Elektronenstrukturen von η^3-Allylverbindungen der Lanthaniden anhand der Kristallfeld-Parameter von Heteroallylkomplexen?
H.-D. Amberger, H. Reddmann, B. Unrecht, F.T. Edelmann and N.M. Edelstein. 125

Synthesis, characterization and decomposition patterns for thienylene bridged dinuclear biscarbene complexes of manganese and chromium in refluxing carbon disulphide and acetone
Y.M. Terblans, H. Marita Roos and S. Lotz 133

Contents

Formation and rearrangement of *gem*-dilithiodiphenylethene
A. Maercker, B. Bös and M.T. Hajgholipour 143

Synthesis and redox properties of the cycloheptatrienylmolybdenum complexes $[MoX(N-N)(\eta\text{-}C_7H_7)]^{z+}$, (N–N = 2,2′-bipyridine or 1,4-Bu$^t_2$-1,3-diazabutadiene; $z = 0$, X = Br or Me; $z = 1$, X = NCMe, CNBu^t or CO)
S.P.M. Disley, R.W. Grime, E.J.L. McInnes, D.M. Spencer, N. Swainston and M. W. Whiteley 151

Isolation and characterization of $[Fe_2(CO)_6Se_2\{\mu\text{-}(CO)_3Cr(\eta^5\text{-}C_5(H)(CH_2Ph)(Ph)(OEt)\}]$, $[(CO)_6Fe_2\{\mu\text{-}EC(Ph)=C(E')C(H)(OEt)\}]_2$ and $[(CO)_6Fe_2\{\mu\text{-}SC(H)(Ph)C(Te)=C(H)(OEt)\}]$ from the thermolysis of Fischer carbene adducts $[(CO)_6Fe_2EE'\{\mu\text{-}C(Ph)=C(OEt)=Cr(CO)_5\}]$ (E, E′ = Se and E = S, E′ = Te)
P. Mathur, S. Ghosh, A. Sarkar, A.L. Rheingold and I.A. Guzei 159

Ruthenium(II) complexes containing both arene and functionalized phosphines. Synthesis and catalytic activity for the hydrogenation of styrene and phenylacetylene
I. Moldes, E. de la Encarnación, J. Ros, Á. Alvarez-Larena and J.F. Piniella 165

Regioselectivity of alkylation of the naphthalene fragment in the opening of a small ring in 3-ferrocenyl-3-(1-naphthyl)cyclopropene, *Z*-2-bromo-1-ferrocenyl-1-(1-naphthyl)cyclopropane, and 1-ferrocenyl-1-(1-naphthyl)cyclopropane
E.I. Klimova, M. Martínez García, T. Klimova, C. Alvarez Toledano, A. Ruben Toscano, R. Moreno Esparza and L. Ruiz Ramírez 175

(1-Phenyl-3-methyl-4-acetylpyrazolon-5-ato)rhodium(I) complexes, synthesis, structural and spectroscopical characterization: Reactivity of diolefin- and dicarbonyl-rhodium complexes toward N-, P- and O-donors
C. Pettinari, F. Accorroni, A. Cingolani, F. Marchetti, A. Cassetta and L. Barba 187

Syntheses and reactivity of oxo niobocene complexes $Cp^*_2Nb(=O)X$ (X = H, OCH_3) and crystal structures of $[Cp^*_2Nb(OH)F]BF_4$ and $Cp^*_2Nb(=O)OC(O)H$ ($Cp^* = \eta^5\text{-}C_5Me_5$)
H. Brunner, J.-C. Leblanc, D. Lucas, W. Meier, C. Moise, Y. Mugnier, B. Nuber, S. Rigny, A. Sadorge and J. Wachter 203

Reactivity of bis(ethylene) complexes of molybdenum(0) versus α,β unsaturated carbonyl compounds. Crystal and molecular structure of $Mo(H_2C{=}CH{-}COOMe)_3(PMe_3)$
A. Pastor, A. Galindo, E. Gutiérrez-Puebla and A. Monge. 211

The first structurally characterized trinickel cluster with an open structure: Crystal and molecular structure of $CpNi[\mu\text{-}\eta^4\text{-}PhC{=}C(Ph){-}C(Ph){=}CPh]Ni(\mu\text{-}\eta^2\eta^2\text{-}PhC{\equiv}CPh)NiCp$
S. Pasynkiewicz, A. Pietrzykowski, B. Kryza-Niemiec and J. Zachara. 217

Matrix isolation Raman spectroscopy and photochemistry of $(\eta^5\text{-}C_5H_5)(OC)_2Fe{-}SiH_2R$ (R = H, CH_3) in comparison with density functional calculations
C. Fickert, V. Nagel, W. Kiefer, S. Möller, H. Jehle, W. Malisch, R. Stowasser and G. Bringmann 225

Reactions of $[Os_3(\mu\text{-}H)_2(CO)_{10}]$ with [Rh(COD)(L)I] (COD = cycloocta-1,5-diene; L = 2,2′-bipyridine, 1,10-phenanthroline and 4,4′-diphenyl-2,2′-dipyridyl): crystal and molecular structures of $[Os_3Rh(\mu\text{-}H)_3(CO)_{10}(\eta^4\text{-}COD)]$, $[Os_3Rh(\mu\text{-}H)_2(CO)_8(\mu\text{-}CO)(\mu\text{-}I)(\eta^4\text{-}COD)]$ and $[Os_3Rh(\mu\text{-}H)_2(CO)_8(\mu\text{-}CO)(\mu\text{-}I)(bipy)]$
S. Yeuk-Wah Hung and W.-T. Wong 237

Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing phosphite donor ligands: X-ray crystal structures of $[WI_2(CO)_3\{P(O^iPr)_3\}_2]$ and $[WI_2(CO)_2\{P(OMe)_3\}_3]$
P.K. Baker, S.J. Coles, N.S. Harrison, L.A. Latif, M.M. Meehan and M.B. Hursthouse 245

A straightforward synthesis of symmetrical polyendiynes by dimerization reactions of silyl derivatives
F. Babudri, V. Fiandanese, G. Marchese and A. Punzi 251

A catalytic pathway for the conversion of tungsten-silanes into tungsten-silanols
W. Malisch, H. Jehle, C. Mitchel and W. Adam 259

Laser-induced decomposition of silacyclobutane: extensive H(Si)/H(C) scrambling via 1,2-H shift in silene and radical reactions
L. Khachatryan, E.A. Volnina, R. Fajgar and J. Pola. 263

Cycloadditionsreaktionen von Molybdän- und Wolfram-Phospheniumkomplexen mit Diazoethylacetat: Synthese und strukturelle Charakterisierung von drei- und fünf-gliedrigen Phosphametallacyclen: Phosphenium-Komplexe, 39
W. Malisch, K. Grün, A. Fried, W. Reich, H. Pfister, G. Huttner and L. Zsolnai 271

New cationic rhodium–amine complexes and their implication in the catalytic anti-Markovnikov oxidative amination of styrenes
M. Beller, H. Trauthwein, M. Eichberger, C. Breindl, T.E. Müller and A. Zapf 277

Synthesis and characterization of *rac*-[ethylene-1,2-bis(η^5-4,5,6,7-tetrahydro-1-indenyl)]zirconium bisamides (EBTHI)Zr(NHR)$_2$
R. Wartchow and S. Doye 287

Erratum
T. Hosokawa, T. Nomura and S.-I. Murahashi 293

Book reviews 295

Author index 305
Subject index 307

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.